




Inoxfucine

Inoxfucine at a Glance

Description

- ❖ Inoxfucine S.p.A. ("Inoxfucine" or "the Company") headquartered in Montanaso Lombardo (Lodi), was founded in 1963 by Dr. Pietro Pugassi together with Gianfranco Guindani
- ❖ The Company has two different divisions:
 - **Forging division:** supplies forged components of carbon steel, austenitic stainless steels, ferritic and martensitic stainless steels, carbon and low alloy steels, nickel and titanium alloys
 - **Strainer division:** with its own Conaco brand is engaged in designing, manufacturing and selling of inline strainers from 0.5" up to 80" size mainly for chemical and oil & gas industries
- ❖ The key industries where products find application are:
 - Oil & Gas
 - Aerospace
 - Chemical
 - Power Generation
 - Food & Agriculture
 - Pharma
 - Wastewater
 - Marine
 - Healthcare
- ❖ Inoxfucine fully complies the requirements for ISO 9001:2015 – 14001:2015 – 45001:2018, UNI EN ISO 3834-2:2006, PED, EAC, AD2000 W0, CRN and Norsok M-650 Edition 4

Company Structure & Key Products



About Us

Why Choose Us

- Valuable solutions to clients guaranteeing high reliability, capability, professionalism, passion, attention and accuracy to details
- Impressive business network with strategic suppliers and sales agents around the world







What We Do

- We are specialised in open die forging (hot forging), rolling and relevant machining work of: austenitic stainless steel, ferritic stainless steel (duplex and superduplex), stainless steel age hardening, carbon steel, nickel alloys, low & high alloy steel, martensitic stainless steel, copper alloys, titanium & titanium alloys
- Forging division mainly supplies: rings, bushes, round bars, flat bars, flanges, balls, discs and special items
- Conaco strainer division designs and manufactures TEE type (bath tub and angle up to 80") strainers, temporary strainers, basket strainers, fabricated and casting Y-strainers as well as special items such as sample coolers, sight glasses, spectacle blinds, exhaust heads, injection quills and adjustment joints






External Commitments

- Part of "Elite Group" (Borsa Italiana S.p.a.), a platform of private companies accurately selected through stringent criteria such as profitability, growth, management and market trends
- Associated in Assolombarda, which is the largest territorial association of the entire entrepreneurial system in Italy







Forging Division Products

	1	2	3	4	5	6
						
	Rings / Bushes	Bodies	Closures	Nozzles	Balls	Discs
Details	<ul style="list-style-type: none"> • Ø est: max 2,500 mm • Height: max 1,000 mm • Weight: max 6,000 kg 	<ul style="list-style-type: none"> • Ø est: max 2,500 mm • Height: max 1,000 mm • Weight: max 6,000 kg 	<ul style="list-style-type: none"> • Ø est: max 2,500 mm • Height: max 1,000 mm • Weight: max 6,000 kg 	<ul style="list-style-type: none"> • Ø est: max 2,500 mm • Height: max 1,000 mm • Weight: max 6,000 kg 	<ul style="list-style-type: none"> • Ø est: max 1,500 mm • Height: max 920 mm • Weight: max 3,000 kg 	<ul style="list-style-type: none"> • Ø est: max 2,100 mm • Height: max 690 mm • Weight: max 10,000 kg
Standard Materials	<ul style="list-style-type: none"> • Carbon steel • Austenitic st. steel • Nickel alloy prec. hard. • Low carbon steel • Nickel & nickel alloy • Martensitic st. steel • Titanium & tit. alloy • Ferritic austenitic st. steel • Ferritic st. steel • St. steel age hardening 	<ul style="list-style-type: none"> • Carbon steel • Austenitic st. steel • Nickel alloy prec. hard. • Low carbon steel • Nickel & nickel alloy • Martensitic st. steel • Titanium & tit. alloy • Ferritic austenitic st. steel • Ferritic st. steel • St. steel age hardening 	<ul style="list-style-type: none"> • Carbon steel • Austenitic st. steel • Nickel alloy prec. hard. • Low carbon steel • Nickel & nickel alloy • Martensitic st. steel • Titanium & tit. alloy • Ferritic austenitic st. steel • Ferritic st. steel • St. steel age hardening 	<ul style="list-style-type: none"> • Carbon steel • Austenitic st. steel • Nickel alloy prec. hard. • Low carbon steel • Nickel & nickel alloy • Martensitic st. steel • Titanium & tit. alloy • Ferritic austenitic st. steel • Ferritic st. steel • St. steel age hardening 	<ul style="list-style-type: none"> • Carbon steel • Austenitic st. steel • Nickel alloy prec. hard. • Low carbon steel • Nickel & nickel alloy • Martensitic st. steel • Titanium & tit. alloy • Ferritic austenitic st. steel • Ferritic st. steel • St. steel age hardening 	<ul style="list-style-type: none"> • Carbon steel • Austenitic st. steel • Nickel alloy prec. hard. • Low carbon steel • Nickel & nickel alloy • Martensitic st. steel • Titanium & tit. alloy • Ferritic austenitic st. steel • Ferritic st. steel • St. steel age hardening







Forging Division Products (cont'd)

	7	8	9	10	11
					
	Round Bars	Flat Bars	Flanges	Special Drawing Flanges	Special Items
Details	<ul style="list-style-type: none"> Length: max 5,000 mm Weight: max 12,000 kg Optional: Possible shaping according to drawings 	<ul style="list-style-type: none"> Weight: max 6,000 kg 	<ul style="list-style-type: none"> ANSI B 16.5 Flanges ASME B 16.47 A (MSS SP 44) Flanges B.S 3293 Flanges ASME B 16.47 B (API 605) Flanges Type API 6B (API SPEC 6A) API TYPE 6BX Welding Neck Flanges Flanges UNI 1092-1 (UNI EN 1092-1:2003) 	<ul style="list-style-type: none"> Inoxfucine can supplies special flanges according to drawings meeting the highest standards 	<ul style="list-style-type: none"> Inoxfucine can supplies special items according to drawings meeting the highest standards
Standard Materials	<ul style="list-style-type: none"> Carbon steel Austenitic st. steel Nickel alloy prec. hard. Low carbon steel Nickel & nickel alloy Martensitic st. steel Titanium & tit. alloy Ferritic austenitic st. steel Ferritic st. steel St. steel age hardening 	<ul style="list-style-type: none"> Carbon steel Austenitic st. steel Nickel alloy prec. hard. Low carbon steel Nickel & nickel alloy Martensitic st. steel Titanium & tit. alloy Ferritic austenitic st. steel Ferritic st. steel St. steel age hardening 	<ul style="list-style-type: none"> Carbon steel Austenitic st. steel Nickel alloy prec. hard. Low carbon steel Nickel & nickel alloy Martensitic st. steel Titanium & tit. alloy Ferritic austenitic st. steel Ferritic st. steel St. steel age hardening 	<ul style="list-style-type: none"> Carbon steel Austenitic st. steel Nickel alloy prec. hard. Low carbon steel Nickel & nickel alloy Martensitic st. steel Titanium & tit. alloy Ferritic austenitic st. steel Ferritic st. steel St. steel age hardening 	<ul style="list-style-type: none"> Carbon steel Austenitic st. steel Nickel alloy prec. hard. Low carbon steel Nickel & nickel alloy Martensitic st. steel Titanium & tit. alloy Ferritic austenitic st. steel Ferritic st. steel St. steel age hardening

Strainer Division Products

	1	2	3	4	5	6
						
	Y Cast	Y Forged	Y Fabricated	Y Large	Y Forged Bar	Angle TEE
Details	<p>Type 707</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 24" <p>Type 777</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 0.5" to 1.5" 	<p>Type 767</p> <ul style="list-style-type: none"> ANSI rating: from #800 psi to #2,500 psi Size: from 0.5" to 2" 	<p>Type 797</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 60" and larger 	<p>Type 717</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 60" and larger 	<p>Type 787</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #60,000 psi Size: from 0.5" to 3" 	<p>Type 407</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 60" and larger
Standard Materials	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy

Strainer Division Products (cont'd)

	7	8	9	10	11	12
						
	Straight TEE	Cast Basket	Fabricated Basket	Duplex Skid Basket	Temporary	Special Items
Details	<p>Type 407</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 60" and larger 	<p>Type 507</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 1" to 20" 	<p>Type 490</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 60" and larger 	<p>Type 514</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 2" to 60" and larger 	<p>Type 444</p> <ul style="list-style-type: none"> ANSI rating: from #150 psi to #2,500 psi Size: from 1" to 60" and larger 	<ul style="list-style-type: none"> Exhaust heads Sample coolers Spectacle blinds Level chambers Sight glasses Injection nozzles Thermal sleeves Seal pots Special Vessels Choke pipes Bird screens
Standard Materials	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> High alloy & alloy steel Special alloy 	<ul style="list-style-type: none"> Carbon steel Low carbon steel High alloy & alloy steel Special alloy

Capabilities and Key Activities

Inoxfucine built a strong know-how and competences enriched also by investments in new technologies and state-of-the-art equipment making the production safer and more efficient.

Forging Division



Strainer Division



Quality and Certifications

Inoxfucine through high quality products and services differentiates itself on the market. The large number and the complexity of certifications issued by us, together with stringent audits performed daily by independent inspectors are evidences of how important is for us quality and customer satisfaction. Amongst several approvals in the Vendor list of all the major EPCs and end-customers, Inoxfucine S.p.A. has also got the ones from Saudi Aramco and Equinor:

- Saudi Aramco Overseas Company Ref Vendor ID Number 10028062-10065971
- Norsok M-650 Edition 4 for ASTM A 182 F51, ASTM A 182 F55, ASTM A 182 F53, ASTM A 182 F44, ASTM B 564 UNS N0625 and ASTM B 381 F2

System Certifications

Product Certifications



ISO 9001:2015



ISO 14001:2015



ISO 45001:2018



LR Marine




UNI EN ISO 3834-2:2006



PED Strainer



EAC












PED Forging



AD2000 W0

Key Industries and Applications

1	2	3	4	5	6	7	8	9
								
Oil & Gas	Aerospace	Chemical	Power Generation	Food & Agriculture	Pharma	Wastewater	Marine	Healthcare
Impressive expertise in this field supported by investments and qualified professionals	Supply of components for satellites and ultralight prototypes aircrafts	Shapes and products helpful for activities as liquid filtration, transportation and transformation	Wide range of suitable solutions to any request from renewables to utilities and nuclear	Bespoke forged components and pipeline strainers for food processing and storage	Experience in designing and manufacturing reliable products as special vessels	Developing sustainable products for eco-friendly investments	Engineering special items for vessels certified also by independent inspection agencies	Strong track record in healthcare industry to support the supply of prostheses in titanium

Involvement in Several Projects Around the World

JGC | FLUOR BC LNG JV
PRIME CONTRACTOR TO LNG CANADA

SAIPEM

TECNICAS REUNIDAS

TECH TRADE

EUROTECNICA
MAKING SUSTAINABILITY PROFITABLE
Part of the Proman Family

Tecnimont

KANFA group

Φιλιππόπουλος α.ε.
Ηλεκτρομηχανολογικός εξοπλισμός

Contacts


Forging Division



Inofucine®

- ❖ **Phone:** +39 0371 610 754
- ❖ **Email:** info@Inofucine.it
- ❖ **Address:** S.P. 202 n. 2 - Località Belgiardino
26836, Montanaso Lombardo (LO)

Strainer Division



 **conaco**®

- ❖ **Phone:** +39 0371 685 18
- ❖ **Email:** conaco@Inofucine.it
- ❖ **Address:** Via Polenghi, 5 - Località Belgiardino
26836, Montanaso Lombardo (LO)

www.Inofucine.it